DOI: 10.5281/zenodo.1186182
UDC: 616.24-002.5-085:615.015.8

OPEN ACCESS CC BY SA

Markers of the oxidative stress and antioxidant system in pulmonary drug susceptible and drug resistant tuberculosis

*Lesnic Evelina[1], MD, PhD, Associate Professor, Gudumac Valentin[2], MD, PhD, Professor

Department of Pneumophtisiology, Nicolae Testemitsanu State University of Medicine and Pharmacy
Department of Biochemistry, Laboratory of Clinical Biochemistry, Chisinau, the Republic of Moldova

*Corresponding author: evelina.lesnic@usmf.md. Received December 22, 2017; accepted February 16, 2018

References

1. Andronache L. Protocoale standardizate de cercetare a metabolismului glutationic [Standardized research protocols of glutathione metabolism]. Chisinau; 2014. Romanian.
2. Apak R, Güçlü K, Özyürek M, et al. Total antioxidant capacity assay of human serum using copper(II)-neocuproine as chromogenic oxidant: the CUPRAC method. Free Radic Res. 2005;39(9):949-61.
3. Abbas A, Lichtman A, Pillai S. Basic immunology: Functions and disorders of the immune system. Philadelphia: Elsevier; 2015. 352 p.
4. Arshya B, Nirmaladevi K, Deepalarhmi P, et al. Serum ceruloplasmin albumin ratio as a biochemical marker to assist the diagnosis, treatment and prognosis of pulmonary tuberculosis patients. Natl J Basic Med Sci (India). 2014;6(1):2-5.
5. Andreozzi R, Caprio V, Insola A, et al. Advanced oxidation processes (AOP) for water purification and recovery. Catalysis Today. 1999;53(1):51-9.
6. Bargagli E, Olivieri C, Bennett D, et al. Oxidative stress in the pathogenesis of the diffuse lung disease. Respir Med. 2009;103(9):1245-56.
7. Birben E, Sahiner UM, Sackesen C, et al. Oxidative stress and antioxidant defense. World Allergy Organ J. 2012;5(1):9-19.
8. Comhair SA, Erzurum SC. Antioxidant responses to oxidant-mediated lung diseases. Am J Physiol Lung Cell Mol Physiol. 2002;283(2):L246-55.
9. Gudumac V, Niguleanu V, Caragia S, Tagadiuc O, Vartician A. Investigatii biochimice [Biochemical investigation]. Chisinau: Elena V.I. SRL; 2008. 72 p. Romanian.
10. Gudumac V, Rivneac V, Tagadiuc O, et al. Metode de cercetare a metabolismului hepatic: Elaborare metodica [Methods of research of hepatic metabolism]. Chisinau: [publisher unknown]; 2012. 162 p. Romanian.
11. Habig WH, Pabst MJ, Jakoby WB. Glutathione S-transferases: the first enzymatic step in mercapturic acid formation. J Biol Chem. 1974;249(22):7130-9.
12. Kehinde AO, Adaramoye O. Biochemical changes in blood and tissues of rats following administration of anti-tuberculosis drugs. Afr J Biochem Res. 2015;9(4):67-72.
13. Lesnic E, Ustian A, Niguleanu A, Malic A, Paladi C. Social features of patients with pulmonary tuberculosis. Туберкулез, легеневі хвороби, ВІЛ-інфекция [Tuberculosis, lung diseases, HIV infection] (Kiev). 2016;25(2):36-40.
14. Lesnic E, Paladi C, Niguleanu A, Ciubotaru V, Sirbu P, Curocichin Gh. Segregation of tuberculosis patients by social, demographic and economic features on the model of Chisinau city and the role of the community support. Curierul Medical (Chişinău). 2016;59(4):11-7.
15. Todoriko LD, Semianiv IO, Lesnic EV. [Analysis of the GSTT-1 gene polymorphism in patients with tuberculosis with regard to the version of Mycobacterium tuberculosis resistance]. Bukovins'kii medichnii visnik [Bukovinian Medical Herald]. 2016;20(2(78)):169-71. Ukrainian.
16. Liu F, Jiao AX, Wu XR, et al. Impact of glutathione S-transferase M1 and T1 on antituberculosis drug-induced hepatotoxicity in Chinese pediatric patients. PLoS One. 2014;9(12):e115410.
17. Makita Z, Vlassara H, Cerami A, Bucala R. Immunochemical detection of advanced glycosylation end-products in vivo. J Biol Chem. 1992;267(8):5133-8.
18. Nowortny K, Jung T, Hohn A, et al. Advanced glycation end-products and oxidative stress in type 2 diabetes mellitus. Biomolecules. 2015;5(1):194-222.
19. Schafer FQ, Buettner GR. Redox environment of the cell as viewed through the redox state of the glutathione disulfide/glutathione couple. Free Radic Biol Med. 2001;30(11):1191-212.
20. Séro L, Sanguinet L, Blanchard P, et al. Tuning a 96-Well Microtiter plate fluorescence-based assay to identify AGE inhibitors in crude plant extracts**.** Molecules. 2013;18(11),14320-39.
21. Van Zoelen MA, Wieland CW, van der Windt GJ, et al. Receptor for advanced glycation end-products is protective during murine tuberculosis. Mol Immunol. 2012;52(3-4):183-9.
22. Valko M, Leibfritz D, Moncol J, et al. Free radicals and antioxidants in normal physiological functions and human disease. Int J Biochem Cell Biol. 2007;39(1):44-84.
23. Valko M, Rhodes CJ, Moncol J, et al. Free radicals, metals and antioxidants in oxidative stress-induced cancer. Chem Biol Interact. 2006;160(1):1-40.
24. Witko-Sarsat V, Friedlander M, Capeillère-Blandin C, et al. Advanced oxidation protein products as a novel marker of oxidative stress in uremia. Kidney Int. 1996 May;49(5):1304-13.
25. Wen X, Kellum J. N-Acetyl-beta-D-Glucosaminidase (NAG). In: Vincent JL, Hall JB, editors. Encyclopedia of intensive care medicine. Berlin: Springer; 2012
26. Wiid I, Seaman T, Hoal EG, et al. Total antioxidant levels are low during active TB and rise with anti-tuberculosis therapy. IUBMB Life. 2004;56(2):101-6.
27. World Health Organization. Guidelines for treatment of drug-susceptible tuberculosis and patient care. Geneva: WHO; 2017. 80 p.
28. World Health Organization. Companion handbook to the WHO guidelines for the programmatic management of drug-resistant tuberculosis. Geneva: WHO; 2014. 447 p.

Declaration of conflict of interests. Nothing to declare.